

Brian D Sites (NH)

Associate Editor-in-Chief for Statistics Matthew A Davis (MI)

Executive Editors

Charles Berde (MA) Asokumar Buvanendran (IL) Steven P Cohen (MD) Spencer S Liu (NY) De Q H Tran (Canada) Marc Van de Velde (Belgium) Christopher L Wu (NY)

Editorial Office

BMJ Publishing Group Ltd, BMA House, Tavistock Square, London WC1H 9JR, UK

T: +1 919 650 1459

F: +44 (0)20 7383 6668

E: info.rapm@bmj.com

Impact factor: 7.015

Disclaimer: The Editor of Regional Anesthesia and Pain Medicine has been granted editorial freedom and Regional Anesthesia and Pain Medicine is published in accordance with editorial guidelines issued by the World Association of Medical Editors and the Committee on Publication Ethics, Regional Anesthesia and Pain Medicine is primarily intended for healthcare professionals and its content is for information only. The Journal is published without any guarantee as to its accuracy or completeness and any representations or warranties are expressly excluded to the fullest extent permitted by law. Readers are advised to independently verify any information on which they choose to rely. Acceptance of advertising by Regional Anesthesia and Pain Medicine does not imply endorsement. Neither American Society of Regional Anesthesia & Pain Medicine nor BMJ Publishing Group Limited shall have any liability for any loss, injury or damage howsoever arising from Regional Anesthesia and Pain Medicine (except for liability which cannot be legally excluded).

Copyright: © 2020 American Society of Regional Anesthesia and Pain Medicine. All rights reserved; no part of this publication may be reproduced in any form without permission of Regional Anesthesia and Pain Medicine.

Regional Anesthesia and Pain Medicine is published by BMJ Publishing Group Ltd, typeset by Exeter Premedia Services Private Ltd, Chennai, India and printed in the UK on acid-free paper.

Regional Anesthesia & Pain Medicine ISSN 1472-0205 (USPS 580 990). BMA House, Tavistock Square, London WC1H 9JR, UK. The US annual subscription price is \$578.

Airfreight and mailing in the USA by agent named Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA. Periodicals postage paid at Jamaica NY 11431. US POSTMASTER: Send address changes to Regional Anesthesia & Pain Medicine, Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA. Subscription records are maintained at BMJ Publishing Group Ltd, 12th Floor, Southgate House, Wood Street, Cardiff, CF10 1GH, Wales. Air Business Ltd is acting as our mailing agent.

Editorial

755 Editors' commentary

> B D Sites, C M Brummett, A Buvanendran, X Capdevila, S P Cohen, Y Guan, S Liu, S G Memtsoudis, A Perlas, D QH Tran, C L Wu

Brief technical report

Use of three-dimensional printing of a lumbar skeletal model for intrathecal administration of nusinersen: a brief technical report

> H Abe, R Inoue, R Tsuchida, K Azuma, K Ino, M Konishi, J Hozumi, M Sumitani

Research reports

- Human volunteer study examining the sensory changes of the thorax after an erector spinae plane block K Byrne, C Smith
- Sensitivity and specificity of SOAPP-SF 763 questionnaire for predicting aberrant urine drug screen

A Romman, G Doulatram, N Doctor, P Krishnamurthy

765 How Twitter conversations using hashtags #regionalanesthesia and #regionalanaesthesia have changed in the COVID-19 era

> ES Schwenk, KM Jaremko, RK Gupta, N M Elkassabany, A Pawa, A Kou, E R Mariano

Chronic and interventional pain



Effect of low-dose lidocaine on objective upper extremity strength and immediate pain relief following cervical interlaminar epidural injections: a double-blinded randomized controlled trial

Z L McCormick, T Burnham, S Cunningham, R W Kendall, D Bougie, M Teramoto, D R Walega Biopsychosocial baseline values of 15 000 patients suffering from chronic pain: Dutch DataPain study

> B Brouwer, S Waardenburg, C Jacobs, M Overdijk, C Leue, A Köke, S van Kuijk, M van Kleef, J Van Zundert, N de Meij

783

Spinal cannabinoid receptor 2 activation reduces hypersensitivity associated with bone cancer pain and improves the integrity of the blood-spinal cord barrier

C Wang, K Xu, Y Wang, Y Mao, Y Huang, Y Liang, Y Liu, J Hao, X Gu, Z Ma, Ye Sun

792 6 Physiological and functional responses of water-cooled versus traditional radiofrequency ablation of peripheral nerves in rats

C Zachariah, J Mayeux, G Alas, S Adesina, O C Mistretta, P J Ward, A Chen, A W English, A V Washington

Regional anesthesia and acute pain

Analgesic efficacy of adding the IPACK block to a multimodal analgesia protocol for primary total knee arthroplasty

I Ochroch, V Qi, I Badiola, T Grosh, L Cai, V Graff, C Nelson, C Israelite, N M Elkassabany

- 805 Bilateral ultrasound-quided thoracic erector spinae plane blocks using a programmed intermittent bolus improve opioid-sparing postoperative analgesia in pediatric patients after open cardiac surgery: a randomized, double-blind, placebo-controlled trial P Macaire, N Ho, V Nguyen, H Phan Van, K Dinh Nguyen Thien, S Bringuier, X Capdevila
- Complication rate of ultrasound-guided paravertebral block for breast surgery A D Niesen, A K Jacob, L A Law, H P Sviggum, R L Johnson

MORE CONTENTS ▶



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals open access scheme.

See http://authors.bmj.com/open-access



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk



818 Peripheral nerve block use in inpatient and outpatient shoulder arthroplasty: a population-based study evaluating utilization and outcomes

JJ Chan, C M Cirino, L Vargas, J Poeran, N Zubizarreta, M Mazumdar, L M Galatz, P J Cagle

Education

826 Sleep-disordered breathing in patients on opioids for chronic pain

J Selvanathan, P W H Peng, J Wong, C M Ryan, F Chung

Daring discourse

831 Daring discourse: are we ready to recommend neuraxial anesthesia and peripheral nerve blocks during the COVID-19 pandemic? A pro-con

M N Singleton, E M Soffin

Case report

835 Continuous PENG block for hip fracture: a case series

R Del Buono, E Padua, G Pascarella, C G Soare, E Barbara

Letters

839 Diversity and inclusion in pain medicine J M Hagedorn, S Moeschler, J Goree, J Weishein, T R Deer

840 IPB with LFCN can provide ambulatory analgesia for hip surgeries *R Roy, G Agarwal, A Patel*

840 Superior costotransverse ligament: a new target for fascial plane blocks

E Piraccini, H Byrne, S Taddei

841 Response to comments on our letter *S K Coşarcan, Y Gürkan, A T Doğan, Ö Erçelen*

841 New approach for blocking intercostobrachial and medial brachial cutaneous nerve in the axillary area: response to Varela

E Yamak Altinpulluk, F Galluccio, C Salazar, D García Simón, K Espinoza, M S Olea, M Fajardo Perez

842 Erector spinae plane block dilemma *A Elkoundi, A El Koraichi*

Reply to 'One prescription for the opioid crisis: require buprenorphine waivers for pain medicine fellows'

TS Swaran Singh

In reply: one prescription for the opioid crisis

M C Bicket, S Durbhakula

844 Clinical research and trial registries: the times they are a-changin

A Hadzic, C Vandepitte, N N Knezevic, D Mesotten, M M Kuroda, S Van Boxstael, I Bellemans, M Van de Velde, T Fivez, K Corten

Electronic page

e2 Correction: Hospital safety net burden is associated with increased inpatient mortality and postoperative morbidity after total hip arthroplasty: a retrospective multistate review, 2007–2014