



Editor in Chief

Marc A Huntoon (VA)

Associate Editor-in-Chief for Regional Anesthesia

Brian D Sites (NH)

Associate Editor-in-Chief for Statistics

Matthew A Davis (MI)

Executive Editors

Charles Berde (MA)

Asokumar Buvanendran (IL)

Steven P Cohen (MD)

Spencer S Liu (NY)

De Q H Tran (Canada)

Marc Van de Velde (Belgium)

Christopher L Wu (NY)

Editorial Office

BMJ Publishing Group Ltd, BMA House,

Tavistock Square, London WC1H 9JR, UK

T: +44 (0)20 7383 6909

F: +44 (0)20 7383 6668

E: info.rapm@bmj.com

Impact factor: 4.382

Disclaimer: RAPM is owned by the American Society of Regional Anesthesia and Pain Medicine, which grants editorial freedom to the Editor.

Regional Anesthesia and Pain Medicine follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

Regional Anesthesia and Pain Medicine is intended for medical professionals and is provided without warranty, express or implied. Statements in the journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group Ltd or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group Ltd shall not be liable for any loss, injury or damage resulting from the use of RAPM or any information in it whether based on contract, tort or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2019 American Society of Regional Anesthesia and Pain Medicine. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission of *Regional Anesthesia and Pain Medicine*.

Regional Anesthesia and Pain Medicine is published by BMJ Publishing Group Ltd, typeset by Exeter Premedia Services Private Ltd, Chennai, India and printed in the UK on acid-free paper.

Regional Anesthesia and Pain Medicine (ISSN No 1472-0205) is published monthly by BMJ Publishing Group and is distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Emergency Medicine Journal, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Regional anesthesia and acute pain

143 Lower extremity regional anesthesia: essentials of our current understanding

D Q Tran, F V Salinas, H T Benzon, Joseph M Neal

182 Medicaid payer status is associated with increased mortality and morbidity after inpatient shoulder arthroplasty: a multistate analysis, 2007–2014

B J Like, R S White, V Tangel, K J Sullivan, N S Arroyo, J B Stambough, Z A Turnbull

192 Risk factors for severe acute pain and persistent pain after surgery for breast cancer: a prospective observational study

A S Habib, M D Kertai, M Cooter, R A Greenup, S Hwang

201 Preprocedural checklist for regional anesthesia: impact on the incidence of wrong site nerve blockade (an 8-year perspective)

D S Henshaw, J D Turner, S W Dobson, J D Jaffe, J W Reynolds, C J Edwards, R S Weller

206 Ultrasound-guided suprainguinal fascia iliaca compartment block versus periarticular infiltration for pain management after total hip arthroplasty: a randomized controlled trial

I Casanova, J C Alexander, K Estrera, J Wells, M Sunna, A Minhajuddin, G P Joshi

212 Procedural predictors of epidural blood patch efficacy in spontaneous intracranial hypotension

G L Pagani-Estévez, J K Cutsforth-Gregory, J M Morris, B Mokri, D G Piepgras, W D Mauck, J S Eldridge, J C Watson

221 Association between perioperative statin use and postoperative pain after total knee arthroplasty

T K Oh, C B Chang, H-J Shin, S Han, S-H Do, H Lee, J-W Hwang

228 Subarachnoid block with continuous TAP catheter analgesia produces less chronic pain and better functional outcome after inguinal hernioplasty: a randomized controlled observer-blinded study

S Thiyagarajan, J Velraj, M I H Ahmed, R Murugesan

234 Anatomical study of the innervation of posterior knee joint capsule: implication for image-guided intervention

J Tran, P W H Peng, M Gofeld, V Chan, A M R Agur

240 Comparison of programmed intermittent bolus infusion and continuous infusion for postoperative patient-controlled analgesia with thoracic paravertebral block catheter: a randomized, double-blind, controlled trial

L Chen, Y Wu, Y Cai, Y Ye, L Li, Y Xia, T J Papadimos, X Xu, Q Wang

246 RNA expression preoperatively and postoperatively following total knee replacement: a pilot study in patients with and without chronic postsurgical pain

A Buvanendran, D Wang, H Kim, J S Kroin, R J McCarthy

Chronic and interventional pain

253 Cervical epidural hematoma following interlaminar epidural steroid injection via the contralateral oblique view in patient taking omega-3 fatty acids

D Beasley, J H Goree

256 Old approach for a new indication: shamrock sign for ESP block

A D Cassai, C Sgarabotto, S D Cin

257 Is pericapsular nerve group (PENG) block a true pericapsular block?

J Tran, A Agur, P Peng

Pediatric analgesia

259 Analgesic efficacy and impact of caudal block on surgical complications of hypospadias repair: a systematic review and meta-analysis

C Zhu, R Wei, Y Tong, J Liu, Z Song, S Zhang

MORE CONTENTS ►



EDITOR'S CHOICE



OPEN ACCESS

This article has been chosen by the Editor to be of special interest or importance and is freely available online.

This article has been made freely available online under the BMJ Journals open access scheme. See <http://authors.bmj.com/open-access>

C O P E

Member since 2008

JM0025

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics

www.publicationethics.org.uk

equator network



When you have finished with this please recycle it

Letters to the editor

- 269** Reducing the incidence of LAST: don't forget ultrasound guidance
H C Yu, A O Spencer, L Baghirzada, R Endersby
- 269** Reply to Dr Yu *et al*
J M Neal
- 269** Erector spinae plane block and 'A Cadaveric Conundrum'
P Cornish
- 270** Reply to Dr Cornish
J Ivanusic, Y Konishi, M J Barrington
- 273** Retroclavicular approach to infraclavicular brachial plexus block: a logical conundrum
P Leurcharusmee, S Layera, R J Finlayson, D Q Tran
- 273** Novel approaches to the brachial plexus in the infraclavicular space: filling up the tool box
V Uppal, S F Sancheti, M K Kwofie, J J Szerb
- 274** Ultrasound-guided maxillary nerve block via the pterygopalatine fossa: anterior versus posterior infrazygomatic approach
P A Torre, S B Pie, M F Perez, E González-Armay
- 276** Reply to Dr Alfaro-de la Torre *et al*
W Kampiak, Y Shibata
- 279** Our best anesthetic blocks are probably related to unintentional and unnoticed intraneural injection
A Boezaart, X Sala-Blanch, E Monzo, M A Reina
- 280** Cadaveric study investigating the mechanism of action of erector spinae blockade
J Schoenfeldt, R Guffey, M Fingerman
- 281** Why the disconnect? Problems with a clamp style catheter connector
R Mountjoy, C Curry, O Diomedede, P McKinley
- 282** Chart to estimate the depth of the target nerve/vessel during nerve block and vascular cannulation
A M-H Ho, G B Mizubuti