Table 7. Post hoc Analyses: Medication Quantification Scale Version III and Morphine Equivalents (mg) at Baseline, 48 Hours, 1 Month, 3 Months, and 6 Months in Patients with Hospital Anxiety and Depression Scale Scores of Less than 11

	Control	Treatment	Median	P Value
	Group	Group	Difference (99%	
			Confidence	
			Interval)	
Baseline				
N	29	32		
Medication	4	6.5	-1	0.509
Quantification	( 2 to 10)	(3 to 10)	(-4 to 3)	
Scale Version II				
Morphine	0	0	0	0.840
Equivalents	(0 to 0)	(0 to 0)	(0 to 0)	
(mg)				
48 Hours				
N	27	32		
Medication	34	33.5	1	0.593
Quantification	(30 to 38)	(28 to 37)	( -4 to 7 )	
Scale Version II				
Morphine	138	178.5	5	0.913
Equivalents	(110 to 328)	(92.5 to 267)	(-93 to 90)	
(mg)				
1 Month				
N	27	32		
Medication	5	7	0	0.687
Quantification	(0 to 9)	(3 to 7.5)	(-3 to 4)	
Scale Version II				
Morphine	5	10	-2	0.301
Equivalents	( 0 to 1)	( 1 to 20)	( -10 to 5 )	

(mg)				
3 Months				
N	27	32		
Medication	0	0	0	0.968
Quantification	(0 to 6)	( 0 to 4.5)	(-2 to 2)	
Scale Version				
III				
Morphine	0	0	0	0.826
Equivalents	(0 to 2)	(0 to 4)	(0 to 0)	
(mg)				
6 Months				
N	27	29		
Medication	0	0	0	0.813
Quantification	(0 to 0)	( 0 to 0 )	(0 to0)	
Scale Version				
III				
Morphine	0	0	0	0.946
Equivalents	(0 to 0)	(0 to 0)	(0 to 0)	
(mg)				

(mg)

Data are median (interquartile range).