**37 REGIONAL ANAESTHESIA AND SEVERE HAEMOPHILIA.
IS A CONTINUOUS FEMORAL NERVE BLOCK SAFE?
A CASE REPORT**

10.1136/rapm-2021-ESRA.37

Results FVIII levels above 100% were maintained throughout admission. No complications from the regional blocks were reported. The score of pain was maintained less than 3 within 72 hours after surgery that facilitated early joint mobilization.

Central nerve blocks

¹S Patel*, ²R Paskaleva, ³D Agrawal. ¹Tawam Hospital, Al Ain, United Arab Emirates; ²Airedale NHS Foundation Trust, Airedale, UK; ³North Manchester General Hospital, Manchester, UK

Background and Aims We reviewed country-wise reporting of neuraxial route drug administration errors.

DRUG/ GROUP OF DRUGS *	No of errors	I n d i a	S r i l a n k a	P a k i s t a n i s t a n	M a l d i v i a	C h i n a	M y a n m a r a	A u s t r a l i a	S i n g a p o r e	C h i n a	J a p a n	T h a i l a n d	U K	F i n l a n d	F r e n c h	S w i t z e r l a n d	G e r m a n y	I t a l y	N e t h e r l a n d	B e l g i u m	R u s s i a	P o l a n d	S p a i n	T u r k e y	L e b a n o n	E g y p t	M o r o c c o	M i r a n d a	S a u d i a	B r a z i l	S o u t h A f r i c a	B e n i n	G h a n a	U n k n o w n				
TA	34	7			4	1		4	1	1										3							2	1		3					1	4	2	
KCI	28	3			1	1		1		2				1	1	4	3			1	3		1							1		1	1		1			1
CV drugs (10)	34	3			1	1	0		2	3				6			2			1					2	1					3						1	
Seven NMBDs	21	1	1			1			2			2	1					1	4	1				1	1	3					2							
Mg504, TPN & other	13				5	1											1														2	1	1		2			
Seven antibiotics	10	1			7												1							1														
Three IV IA	9				3		3				1		1																		1							
Oxytocin	7				1								6																									
Three Analgesics	6														2	1								2										1				
Atropine/N eostigmine	6	2																							1	9											3	
Antiemetics	4				1			1			1																						1					
Thirteen Other	13		2	1		1	1	1					2	1	1			1	1		1	1			1													

SK-South Korea, SWL-Switzerland, NL-Netherlands, TA-Tranexamic acid/KCl – potassium chloride, CV- cardiovascular NMBDs- neuromuscular blocking drugs, Mg504-magnesium sulphate, TPN – total parenteral nutrition, IA – induction agents, 9 Atropine & Neostigmine given together in one patient, # One report for all eight errors